

ANALYSIS OF APPLICATION OF SU JOK THERAPY METHOD IN TREATMENT OF LOGONEUROSES IN CHILDREN

АНАЛИЗ ПРИМЕНЕНИЯ МЕТОДА СУ ДЖОК ТЕРАПИИ В ЛЕЧЕНИИ ЛОГОНЕВРОЗОВ У ДЕТЕЙ

*Drs. I.P.Smirnova, chief physician, Kaliningrad Centre of Su Jok therapy,
V.L.Voitanik, physician, Kaliningrad Centre of Su Jok therapy*

*И.П. Смирнова, главный врач Калининградского центра Су Джок терапии,
В.Л. Войтаник, врач Калининградского центра Су Джок терапии*

Neurology gives the following official definition of stammering: «Stammering is a neurosis, in which there are disturbances of smoothness, coherency of speech resulting from spasmodic movements that arise in the muscles responsible for the act of speech. Non-related to speech movements of these muscles in a stammering individual have a normal performance. Most often, this pathology appears at the age of four to eight.»

During four years in our Centre 59 patients underwent Su Jok therapy (SJT) for stammering, the majority of them (thirty eight) were pre-school children (64.41%). We referred them to age group I (4 to 7 years). Age group II (7 to 16 years) comprised 28.81%




Fig. 1. Age structure of treated logoneurotic patients

Рис. 1. Возрастная структура лечившихся по поводу логоневроза

Официальное определение заикания в неврологии гласит: «Заикание — невроз, при котором страдает плавность, непрерывность речи как следствие возникновения судорожных движений в мышцах, принимающих участие в акте речи. Неречевые движения этих мышц у заикающегося осуществляются нормально. Данная патология возникает чаще всего в возрасте от четырех до восьми лет».

В нашем Центре за четыре года лечение от заикания методом Су Джок терапии (СДТ) прошли 59 пациентов, большинство из которых (тридцать восемь человек) — дети дошкольного возраста (64,41%). Мы отнесли их к первой возрастной группе (4—7 лет). Вторая возрастная группа (7—16 лет) составила 28,81% от числа лечившихся (семнадцать пациентов), и третья группа (старше 16 лет) — самая малочисленная — четыре пациента (6,78%) (рис. 1).

Все клинические случаи выявили четкую зависимость логоневроза от отрицательных эмоций. Прежде всего, это испуг, психотравма, стресс. У двадцати трех пациентов Центра с логоневрозом (39% лечившихся) такой стрессовый фактор способствовал острому развитию болезни. Тридцать шесть пациентов (61%) не могли четко указать причину и дату возникновения проблемы, отмечая несколько травмирующих эмоциональных факторов, имевших место в разное время, иногда довольно отдаленное от начала заболевания. Системные педагогические ошибки родителей, родственников и друзей семьи, соседей, воспитателей в детсаду, учителей в школе также приводили к развитию логоневрозов.

Оценивая энергетическое состояние пациентов, мы пришли к выводу, что одной из основных доминирующих энергий у всех лечившихся являлась энергия Холода (Страх на эмоциональном уровне). Часто при сборе анамнеза выясня-

of treated patients (seventeen patients), and age group III (over 16 years) — the least numerous — four patients (6.78%) (Fig. 1).

All clinical cases demonstrated a clear-cut dependence of a logoneurosis from negative emotions. First of all, these are fright, psychic trauma, stress. In twenty three logoneurotic patients of the Centre (39% treated) such a stressful factor contributed to an acute development of the disease. Thirty six patients (61%) could not indicate a clear cause and date of the appearance of the problem, noting several traumatic emotional factors that had taken place at different time, sometimes rather remotely from the onset of the disease. Systemic pedagogic mistakes of the parents, relatives and friends of the family, of neighbours, kindergarten and school teachers would also lead to development of this problem.

Evaluating the energy state of the patients, we have come to the conclusion that one of the basic causal energy in all the sufferers was Coldness (Fear at the emotional level). Often, collecting a medical history, one learned that some of the child's close relative had a similar speech defect. Possibly, this emotional problem is inherited by a child at the energy level. Modern science has failed to reveal any genetic inheritance of stammering.

In about 60% of children observed in our Centre traumatic factors during the intrauterine period have been revealed: threatened abortion on the background of toxemia in mother, ARVI during pregnancy, foetal hypoxia. These factors can also be related to the pathogenic influence of Coldness (Fear), which was often consolidated in the child's energy constitution.

It is well-known, that there is a correlation between the growing signs of stammer and progressive systematic stress in the family, during contacts with other children, at pre-school institutions, at school. So, special attention in treating logoneuroses was paid to a comprehensive conversation with the child's parents, his or her teachers. It is necessary that during treatment disease-provocative factors should be minimised or excluded (family conflicts, mockery of other children, pedagogic mistakes of teachers). As pointed above, stressful events bring the pathogenic energy of Coldness (Fear) to the child, which is destructive for his spiritual and emotional sphere and might lead to other Coldness-related diseases. The second place after the Fear energy in the constitution of treated children was taken by the energy of Sadness. It was manifested in the children's appearance either explicitly (AH-Sadness), or implicitly (UM-Sadness). Almost all children that were coming for therapy had a characteristically sad and dreary look. Interviews with


лось, что подобный дефект речи имел место у кого-нибудь из близких родственников ребенка. Возможно, что на энергетическом уровне данная эмоциональная проблема передается ребенку по наследству. Генетического наследования заикания современной наукой не выявлено.

Примерно у 60% обследованных в нашем Центре детей в анамнезе обнаружены травмирующие факторы во внутриутробном периоде: угроза прерывания беременности у матери на фоне токсикоза, ОРВИ во время беременности, гипоксия плода. Эти факторы также можно соотнести с влиянием патогенной энергии Холода (Страха), которая зачастую закреплялась в энергетической конституции ребенка.

Общеизвестен факт зависимости нарастания признаков заикания от прогрессирующих системных стрессов в семье, в кругу сверстников, в дошкольных учреждениях, в школе. Поэтому при лечении логоневрозов особое внимание уделялось обстоятельной беседе с родителями ребенка, его воспитателями, учителями. В процессе лечения необходимо максимально уменьшить или исключить факторы, провоцирующие обострение заболевания (конфликты в семье, насмешки со стороны сверстников, педагогические ошибки воспитателей). Как уже отмечалось, стрессовые ситуации несут ребенку патогенную энергию Холода (Страха), пагубно воздействующую на его духовную и эмоциональную сферу, приводящую порой и к другим болезням Холода.

На втором месте после энергии Страха в конституции наших пациентов выявлялась энергия Печали. Она проявлялась во внешнем облике детей либо явно (А-Печаль), либо скрыто (УМ-Печаль). Почти у всех детей, приходивших на лечение, был характерный печальный и тоскливый взгляд. При беседе с родителями выяснялось, что дети часто плачут, бывают замкнуты, мало общаются со сверстниками. Нередко эти эмоции провоцировались близкими ребенку людьми (излишняя родительская строгость, грубые окрики, угрозы, пинки, унижения и пр.).

Анализ ошибок, допускаемых родителями в воспитании детей, страдающих логоневрозом, показал, что чаще всего это недостаток доброты, любви и душевного тепла. Некоторые родители, проявляя «заботу» о развитии своих детей, не устают одергивать их, делать в присутствии посторонних замечания (часто очень грубые) по поводу их дефектов речи, не отдавая себе отчета в том, что говорить правильно и красиво ребенок стремится больше, чем кто-либо другой. Не случайно



- | | | |
|---------|---|--------------|
| 1 | * | ↑FE |
| 2 | * | ↓BA |
| 3 | * | ↑JI |
| 4 | * | ↓GH |
| 5 | ⊗ | ↑II |
| 6, 7, 8 | E | ↑II, ↓V, ↓VI |
| 9 | I | ↑II |

Fig. 2. Tonification of the unified energy of Joy on byol-chakras and of branch Joy within Heat on byol-meridians to improve speech habits

Рис. 2. Тонизация единой энергии Радости на бель-чакрах и отраслевой Радости в Тепле на бель-меридианах для улучшения речи

parents revealed that children often cry, can be withdrawn, reluctant to mix with other children. Not infrequently, these emotions had been provoked by the child's near ones (excessive parental austerity, harsh shouts, threats, kicks, humiliation, etc.)

Analysis of mistakes made by parents in upbringing children suffering from a logoneurosis, demonstrated that most often there is lack of kindness, love and heart warmth. Some parents who «care» to improve their children, would not tire of snubbing them, make reproofs (often sharp ones) relative to their speech defects in the presence of other people, not being aware that their child is trying to speak rightly and beautifully more than anyone else. Not incidentally, tearfulness, acute psychic reactions are the concomitances of stammering.

If parental mistakes are aggravated by mockery in the community and at school, attempts of other children to mimic the speech defect, then the logoneurosis acquires a severe progressing form. Its treatment becomes much more complicated.

In a stammering child there are deficient emotional energies of Joy and Satisfaction. As is known, at the level of vital energies Joy corresponds to Heat responsible for speech. So the effect of treatment increased considerably, if tonification of Joy and Sat-


пласивость, острые психические реакции — частые спутники заикания.

Если ошибки родителей дополняются насмешками во дворе и в школе, попытками сверстников передразнить речевой изъясн, то логоневроз динамично приобретает тяжелую прогрессирующую форму. Лечение его значительно затрудняется.

У ребенка, страдающего заиканием, наблюдается недостаток эмоциональных энергий Радости и Удовлетворения. Известно, что Радость на уровне жизненных энергий — это Тепло, которое отвечает за речь. Поэтому эффект от лечения заметно возрасал, если к тонизации Радости и Удовлетворения на уровне основных эмоций мы добавляли торможение отраслевой эмоции Страха и тонизацию отраслевых Радости и Удовлетворения в основной энергии Тепла (рис. 2).

Опыт терапии логоневрозов показал необходимость включения в лечебный процесс воздействия и на ментальные энергии: торможения Мудрости, тонизации Желания говорить и Намерения делать это правильно в структуре бель-чакры Света (рис. 3).

В ряде случаев в исследуемой группе заикание возникало у ранее вполне здоровых и хорошо говоривших детей. Например, один ребенок потерял возможность членораздельно говорить после сильного стресса — тяжелой автомобильной аварии. В подобных ситуациях мы использовали прежде всего лечение по волне времени, что позволяло воздействовать на травмирующий фактор, и это всегда давало выраженный лечебный эффект.



- | | | |
|---------|---|---------------------------------|
| 1, 2, 3 | ⊗ | ↓Wisdom, ↑Desire, ↑Intention |
| 1, 2, 3 | ⊗ | ↓Мудрость, ↑Желание, ↑Намерение |

Fig. 3. Sedation of Wisdom in the Brightness byol-chakra structure in treating logoneuroses

Рис. 3. Торможение Мудрости в структуре бель-чакры Света при лечении логоневрозов

isfaction at the level of basic emotions was supplemented by sedation of branch Fear and tonification of branch Joy and Satisfaction within the basic Heat energy (Fig. 2).

Our experience of treating logoneuroses has shown the necessity of acting on mental energies, too: sedation of Wisdom, tonification of Desire to speak and Intention to do this correctly, in the Brightness chakra structure (Fig. 3).

In the groups under study there were some cases when stammer occurred in previously quite healthy and well-speaking children. For example, a boy had lost the faculty of articulate speech after a heavy stress — serious road accident. In situations like this, we used first of all the time-wave therapy, which allowed to act on the causal traumatic factor, — this always yielded a pronounced curative effect.

It is noteworthy, that prior to referring to our clinic 70% of patients tried therapies for logoneuroses in psychotherapeutic and logopedic units. The effect was either short, or absent. We think this to be a result of insufficient attention to physical, emotional and mental peculiarities of a child. In our Centre more than a half cases yielded effects as soon as after the first sessions of treating stammer. In all, a course of treatment included ten to twelve procedures given on alternate days. In thirty seven patients (62.7%) recovery was obtained after the first course. Twenty patients (33.9%) underwent a repeat course two to three months after the first one, and the third course was administered to two patients (3.4%), with the same interval (Fig. 4). On the whole, the Su Jok therapy method (SJT) demonstrated high effectiveness in treatment of logoneuroses: 41% of patients came to complete recovery, another 35.5% had an over 80% improvement, 13.5% of patients reported a sufficient improvement (by over 50%), 6% reached a slight improve-




Fig. 4. Duration of Su Jok therapy for logoneuroses
Рис. 4. Длительность Су Джок терапии при логоневрозах

Следует отметить, что 70% пациентов до обращения к нам пытались лечить логоневроз в психотерапевтических и логопедических кабинетах. Эффект либо был кратковременным, либо отсутствовал. Мы считаем, что это происходило вследствие недостаточного внимания к физическим, эмоциональным и ментальным особенностям ребенка. В нашем Центре при лечении заикания в более чем половине случаев эффект наблюдался уже после первых сеансов. Всего же курс лечения включал десять—двенадцать процедур, проводимых через день. У тридцати семи пациентов (62,7%) выздоровление наступило после одного курса лечения. Двадцать пациентов (33,9%) прошли повторный курс лечения через два-три месяца после первого, и двум пациентам (3,4%) был проведен третий курс с таким же интервалом (рис. 4). В целом метод Су Джок




Fig. 5. Effectiveness of Su Jok therapy for logoneuroses
Рис. 5. Эффективность Су Джок терапии при логоневрозах




Fig. 6. Effectiveness of Su Jok therapy for logoneuroses in three age groups

Рис. 6. Эффективность Су Джок терапии при логоневрозах в трех возрастных группах

ment (by over 20%), and only in 4% of cases no effect was observed. (Fig. 5).

Interestingly, the effectiveness indices in different age groups varied considerably: in age group I (4 to 7 years) therapy yielded good results in all children, in age group II (7 to 16 years) effectiveness of treatment was slightly lower, and in age group III (over 16 years old) the results were not so high. Dependence of SJT effectiveness on the age of the patients in treatment of logoneuroses and effectiveness percentage by age groups is presented in diagrams (Fig. 6).

Special attention should be paid to the fact that in the overwhelming majority of cases the effect of Su Jok therapy of logoneuroses was not only fast and pronounced but also stable enough: only three patients (5%) had a recurrence of logoneuroses six or more months afterwards, as a result of recurrent stressful situations.

Let us consider some clinical examples:

1. A seven-year-old girl. Complaints: grinds her teeth at night, restless sleep (often awakens, gets startled with sharp sounds), very touchy. She began to stammer as she learned to speak. At the age of eighteen months she experienced a stressful event (was frightened by a dog), having responded with intense weeping for three hours. The obstetric history reports of foetal hypoxia, labour asphyxia. She was extremely

терапии (СДТ) показал высокую эффективность в лечении логоневрозов: 41% лечившихся достигли полного выздоровления, еще у 35,5% состояние улучшилось более чем на 80%, 13,5% больных отметили положительные изменения (более чем на 50%), 6% достигли небольшого улучшения (более чем на 20%), и всего у 4% лечившихся эффекта не наблюдалось (рис. 5).

Интересно, что показатели эффективности в разных возрастных группах значительно варьировались: в первой возрастной группе (4—7 лет) хорошие результаты лечения наблюдались у всех детей, во второй (7—16 лет) эффективность лечения была чуть ниже, и в третьей (старше 16 лет) добиться высоких результатов не удалось. Зависимость эффективности СДТ от возраста пациентов при лечении логоневрозов и распределение показателей эффективности по возрастным группам представлено на диаграммах (рис. 6).

Хотелось бы особо указать на то, что в подавляющем большинстве случаев Су Джок терапия логоневрозов давала не только быстрый и выраженный, но и весьма стойкий эффект: лишь у трех пациентов (5%) спустя шесть или более месяцев в результате повторных стрессовых ситуаций отмечались рецидивы логоневроза.

restless during her first year: often cried and slept as little as 4 to 5 hours a day. At five, she got in a road accident.

We defined the UM-Coldness constitution in the girl. Treatment began with moxibustion of the basic energy points. Then followed needling by Six Ki at the emotional level in the system of internal byol-chakras on the hands.




Fig. 7. Sedation of individual UM-Fear and branch Fear of the UM-Heat and Brightness byol-chakras

Рис. 7. Торможение индивидуального УМ-Страх и отраслевого Страх бей-чакр УМ-Тепла и Света

The first session included sedation of the basic UM-Fear energy by the antisubjugation function, sedation of branch Fear of the UM-Heat byol-chakra (controls speech), and sedation of branch Fear of the Brightness byol-chakra (Fig. 7).

The next day the parents reported that the girl slept well, did not grind her teeth. The second therapeutic session involved the same basic energies, but at the branch level we sedated Fear of the AH-Heat chakra (Fig. 8). By the third procedure the girl could partially control her stammering. We decided to tonify UM-Joy at the level of the basic energies, and tonify Joy of the byol-chakras of UM-Heat, UM-Hotness and Brightness. By the end of the procedure the manifestation of stammering decreased by 50%.

In all, six therapeutic sessions were given, in the course of which the physician also discussed with the parents specific features of upbringing their child. The

Рассмотрим несколько клинических наблюдений.

1. Девочка семи лет. Жалобы: ночью скрипит зубами, спит беспокойно (часто просыпается, вздрагивает при резких звуках), очень обидчива. Заикаться начала сразу после того, как научилась говорить. В возрасте полутора лет перенесла стресс (испугалась собаки), отреагировав на него сильным плачем в течение трех часов. В акушерском анамнезе — гипоксия плода, асфиксия при родах. На первом году жизни была крайне беспокойной: часто кричала и спала не более 4—5 часов в сутки. В пятилетнем возрасте попала в автомобильную аварию.

Мы определили у девочки конституцию УМ-Холода. Лечение было начато с прогревания базисных энергетических точек. В дальнейшем осуществлялось лечение иглами по Шести Ки на эмоциональном уровне в системе внутренних бей-чакр на кистях.

Первый сеанс включал в себя торможение основной энергии УМ-Страх по функции противоподчинения, торможение отраслевого Страх бей-чакры УМ-Тепла (контролирующей речь) и торможение отраслевого Страх бей-чакры Света (рис. 7).

На следующий день родители сообщили, что девочка спала спокойно, зубами не скрипела. Был проведен второй лечебный сеанс, направленный на те же основные энергии, но на отраслевом уровне, — тормозили Страх бей-чакры А-Тепла (рис. 8). К третьей процедуре девочка уже частично контролировала заикание. Было решено провести тонизацию УМ-Радости на уровне основных энергий и тонизацию Радости бей-чакр УМ-Тепла, УМ-Жара и Света. К концу процедуры степень выраженности заикания снизилась на 50%.

Всего проведено шесть лечебных сеансов, в процессе которых врач также обсуждал с родителями особенности воспитания их ребенка. Девочка стала менее обидчивой, хорошо спит, активно общается со сверстниками. Речь свободная, не заикается, улучшилась успеваемость в школе. Мама поражена эффектом, полученным от Су Джок терапии.

2. Девочка пяти лет. Заикание с трехлетнего возраста. На третьем году жизни также появились тики верхних век. Диагноз: логоневроз, невроз навязчивых движений. Известно, что дома между родителями постоянные конфликты, которые, по мнению мамы, совершенно не влияют на ребенка, так как его не касаются (!). Во




Fig. 8. Sedation of branch Fear of the AH-Heat byol-chakra by the antisubjugation function

Рис. 8. Торможение отраслевого Страху бель-чакры А-Тепла по функции противоподчинения

girl has become less touchy, sleeps well, communicates actively with other children. Her speech is free, without stammer, her school performance has improved. Her mother finds the therapeutic effect of Su Jok astonishing.

2. A five-year-old girl. Has been stammering since three. During her third year there also developed tics of the upper eyelids. Diagnosis: logoneurosis, obsessive motor neurosis. It has become known that there are continuous conflicts between the parents but, in her mother's opinion, the situation has no influence on the girl, because it has nothing to do with her (!). During pregnancy mother often had quarrels with her husband which contributed to the development of threatened abortion at 12th and 30th weeks. Since the second year of life the girl has been suffering from recurrent obstructive bronchitis that often resulted in hospital treatment. By the five years, she had developed atopic bronchial asthma. Mother and daughter often referred to the logopedist and psychotherapist. Treatment yielded no effect, on the contrary, stammering began on each syllable. The girl's medical history also reports of nocturnal incontinence of urine (rare episodes), nonmotivated fears, she used dark colours in drawings.

During the first Su Jok session the girl was scared and crying. Needling had to be ruled out. Her condition was assessed as the manifestation of the dominating unified energy of Fear. In this connection, mother was given recommendations and instructions to warm the energy points on the child's hands.

After three days of basic therapy the girl agreed to have two needles inserted, and the unified energy of

время беременности у матери были частые ссоры с мужем, что способствовало развитию угрозы прерывания беременности в сроке 12-ти и 30-ти недель. Со второго года жизни девочка страдает рецидивирующим обструктивным бронхитом, в связи с чем ей приходилось неоднократно лечиться в стационаре. К пяти годам у нее развилась atopическая бронхиальная астма. По поводу логоневроза мама с дочкой часто обращались к логопеду и психотерапевту. Эффекта от лечения не было, напротив — заикание стало возникать на каждом слоге. Из анамнеза также известно, что у девочки — ночной энурез редкими эпизодами, немотивированные страхи, в рисунках использует темные цвета.

Во время первого приема у Су Джок терапевта девочка была напугана и плакала. О постановке игл не могло быть и речи. Состояние ее было расценено как проявление доминирующей единой энергии Страху. В связи с этим маме рекомендовано прогревать ребенку энергетические точки на кисти и показано, как это делать.

После трех дней базисной терапии девочка согласилась на постановку двух игл, и ей была проведена тонизация единой энергии Удовлетворения по правилу осей на чакрах. В результате ребенок стал лучше спать, четче выговаривать отдельные слова. В дальнейшем девочке проводили на бель-чакрах тонизацию единой энергии Удовлетворения комбинированным методом (рис. 9), а также тонизацию отраслевых эмоций Радости и Удовлетворения бель-чакр УМ-Тепла, УМ-Жара и Света (рис. 10).





Fig. 9. Tonification of the unified energy of Satisfaction by the combined method on byol-chakras

Рис. 9. Тонизация единой энергии Удовлетворения комбинированным методом на бель-чакрах



- 1, 2, 3 * E ↑II, ↑III, ↓VI
 4, 5 * I ↑II, ↑III
 6, 7 ⊗ ↑II, ↑III

Fig. 10. Tonification of the branch energies of Joy and Satisfaction of the byol-chakras of UM-Heat, UM-Hotness and Brightness

Рис. 10. Тонизация отраслевых энергий Радости и Удовлетворения бель-чакр УМ-Тепла, УМ-Жара и Света

Satisfaction was tonified by the rule of axes on chakras. As a result, the child began to sleep better, to articulate some words more clearly. Then the prescription was to tonify the unified energy of Satisfaction by the combined method on byol-chakras (Fig. 9), and to tonify branch emotions of Joy and Satisfaction of the byol-chakras of UM-Heat, UM-Hotness and Brightness (Fig. 10).


The course of treatment comprised 10 sessions with the use of needles and colour stickers on chakras. Repeated conversations with mother about upbringing the child were made. As a result, the stammering decreased approximately by 60%. The girl became more cheerful, communicative. A repeat course was scheduled 3 months after the first. But 2 months later her mother called and said the child's speech restored fully, and she was less susceptible to common colds. Later, the mother came to our Centre to improve her own psycho-emotional state.

3. A twelve-year-old boy. Stammering appeared at the age of four after a frightful event and was intensifying with stresses and mental overload. He is also troubled by involuntary movements of the head. The child was repeatedly treated at a logopedic centre, by healers. No positive dynamic was observed. The interview gave information that the boy is quick-tempered, touchy, often cries, at the same time he takes a strong interest in things that fascinate him.

Всего было проведено 10 лечебных сеансов с использованием игл и цветных наклеек на чакры. С мамой пришлось неоднократно беседовать о воспитании ребенка. В результате заикание уменьшилось примерно на 60%. Девочка стала более веселой, общительной. Повторный курс был запланирован через 3 месяца после первого. Но уже через 2 месяца мама позвонила и сообщила, что речь у ребенка окончательно восстановилась и она стала меньше болеть простудными заболеваниями. Впоследствии мама и сама обратилась в наш Центр, чтобы улучшить свое психоэмоциональное состояние.

3. Мальчик двенадцати лет. Заикание появилось в возрасте четырех лет вследствие испуга, после чего оно усиливалось при стрессах и умственных перегрузках. Беспокоили также непроизвольные подергивания головой. Ребенок неоднократно лечился в логопедическом центре, у экстрасенсов. Положительной динамики отмечено не было. Из опроса известно, что мальчик очень вспыльчивый, обидчивый, часто плачет, в то же время может достаточно сильно увлекаться, если ему что-нибудь нравится.

Врач определил у ребенка конституцию А-Ветра (избыток А-Холода, А-Ветра, А-Тепла). С учетом этого проводилось прогревание энергетических точек, а также лечение по Шести Ки на эмоциональном уровне в системе внутренних бель-чакр: торможение основной энергии А-Страх по функции подчинения (рис. 11), торможение отраслевого Страху бель-чакр А-Тепла и УМ-Жара.



- 1 * ↓G
 2 * ↑C
 3 * ↓K
 4 * J ↓VI
 5 ⊗ ↓VI

Fig. 11. Sedation of AH-Fear by the subjugation function on byol-chakras

Рис. 11. Торможение А-Страх по функции подчинения на бель-чакрах

The doctor defined the constitution of AH-Wind in the boy (excess AH-Coldness, AH-Wind, AH-Heat). With regard to this, the energy points were warmed up, and Six Ki treatment was given at the emotional level in the system of internal chakras: sedation of the basic AH-Fear energy by the subjugation function (Fig. 11), sedation of branch Fear of the byol-chakras of AH-Heat and UM-Coldness.

After two sessions the head twitches decreased, stammering was less, too. From the third day on, Joy and Satisfaction of the UM-Heat and UM-Hotness byol-chakras were tonified, Fear of the AH-Wind byol-chakra was sedated by the antisubjugation function (Fig. 12). After ten sessions stammering stopped and came to manifest itself only with strong excitement. Head twitches disappeared. Recommendations were given to repeat the course six months later, if stammering persisted.




Fig. 12. Sedation of branch Fear of the AH-Wind byol-chakra by the antisubjugation function

Рис. 12. Торможение отраслевого Страху бель-чакры А-Ветра по функции противоподчинения

4. A seven-year-old girl, has been suffering since August 1998 when she saw her mother die in a road accident. The girl's condition at the time of treatment (December 1999) was grave. She was withdrawn, continuously crying, stammering at every syllable, winking often. As it turned out, by the school's blackboard she was very excited, could not start speaking. At the same time, the girl demonstrated judgement as in adults, responsibility, she knew a lot of poems.

At the level of individual energies the constitution of AH-Coldness (AH-Fear) was manifested in the child. Since her grandmother remembered the

После двух сеансов подергивания головой уменьшились, заикание проявлялось также в меньшей степени. С третьего дня производились тонизация Радости и Удовлетворения бель-чакр УМ-Тепла и УМ-Жара, торможение Страху бель-чакры А-Ветра по функции противоподчинения (рис. 12). После десяти сеансов заикание прекратилось и появлялось только при сильном волнении. Исчезли подергивания головой. Было рекомендовано пройти повторный курс через полгода, если заикание не пройдет окончательно.

4. Девочка семи лет, страдает заиканием с августа 1998 года, когда на глазах у ребенка в результате автокатастрофы погибла ее мама. Состояние девочки на момент лечения (декабрь 1999 года) оценивалось как тяжелое. Она постоянно плакала, заикалась на каждом слове, часто моргала, была замкнута. Выяснилось, что в школе у доски она очень волновалась, не могла начать говорить. В то же время девочке были присущи взрослые суждения, ответственность, она знала много стихотворений.

На уровне индивидуальных энергий у ребенка проявляла себя конституция А-Холода (А-Страх). Поскольку бабушка ребенка хорошо помнила дату и время автокатастрофы, мы начали лечение с использованием энергии времени. Параллельно проводилось прогревание энергетических точек, а также лечение по Шести Ки с учетом конституции: торможение А-Страху по функции подчинения, тонизация А-Радости комбинированным ме-




Fig. 13. Tonification of the AH-Joy byol-chakra by the combined method

Рис. 13. Тонизация бель-чакры А-Радости комбинированным методом

date and time of the road accident, we began treatment using the time energy. In parallel, the energy points were warmed, and Six Ki treatment was given taking the constitution into account: sedation of AH-Fear by the subjugation function, tonification of AH-Joy by the combined method on byol-chakras (Fig. 13), and tonification of branch Joy and Satisfaction in the structure of the AH-Heat and Brightness byol-chakras.

As soon as after the second session the girl began to articulate some sounds and syllables more clearly, stopped winking. Ten sessions were given in all, and at each of them we treated her by the time wave and considering the Six Ki constitution at the level of emotional and mental energies. To consolidate the results and prevent recurrence of stammering we also talked to the school teachers and parents of other children. After the course of treatment she could freely answer by the blackboard, stammering appeared only on rare occasions, with strong excitement. A repeat course was scheduled two months later.

Analysing our four-year experience of working with logoneuroses, we came to the following generalisations:

- Stammering, as a rule, results from manifestations of the pathogenic energy of Coldness at the emotional and mental levels.

- Treatment of stammering should begin with sedation of Fear at the emotional level, or Wisdom at the mental level.

- Tonification of the emotions of Joy and Satisfaction is an indispensable condition of successful treatment.

- Since the Heat energy is responsible for speech, the branch energy of Fear should be sedated within its structure.

- In treatment, action on the spiritual sphere is significant, which can be effected through the Brightness chakra.

- Sedation of the Fear-intensifying emotions of Anger and Sadness usually speeds up the curative process.

- Warming of the energy points from the first session will yield a successful result.

- Six Ki therapy using colour has a good effect.

- In acquired forms of stammering that have developed on the background of grave stressful events, treatment using time-wave energies is indicated.

- Prevention of situations that bear stress for the child, and exclusion of pedagogic mistakes on the part of parents and teachers will create a positive emotional atmosphere required for successful treatment of stammering. ◇

тодом на бель-чакрах (рис. 13), а также тонизация отраслевых Радости и Удовлетворения в структуре бель-чакр А-Тепла и Света.

Уже после второго сеанса девочка стала четче выговаривать отдельные буквы и слоги, перестала моргать. Всего проведено 10 сеансов, и на каждом из них мы лечили по волне времени и с учетом конституции Шести Ки на уровне эмоциональных и ментальных энергий. Для закрепления лечебных результатов и предотвращения рецидивов заикания мы также проводили беседы с учителями в школе и родителями сверстников девочки. По окончании курса лечения она уже свободно отвечала у доски, заикание проявлялось лишь в очень редких случаях, при сильном волнении. Повторный курс был назначен через два месяца.

Анализируя четырехлетний опыт работы с логоневрозами, мы сделали некоторые общие выводы:

- Заикание, как правило, является результатом проявления патогенной энергии Холода на эмоциональном и ментальном уровнях.

- Лечение заикания следует начинать с торможения энергии Страх на эмоциональном уровне или Мудрости — на ментальном уровне.

- Тонизация эмоций Радости и Удовлетворения является неотъемлемым условием успешного лечения.

- Поскольку энергия Тепла отвечает за речь, в ее структуре необходимо тормозить отраслевую энергию Страх.

- При лечении важно воздействовать и на духовную сферу, что можно осуществить через чакру Света.

- Торможение усиливающих Страх эмоций Гнева и Печали обычно ускоряет процесс излечения.

- Прогревание энергетических точек с первого сеанса является залогом успешного результата в лечении.

- Хороший эффект дает использование цвета в лечении по Шести Ки.

- При приобретенных формах заикания, развившихся на фоне тяжелых стрессовых ситуаций, показано лечение с использованием энергий волны времени.

- Предотвращение стрессовых ситуаций у ребенка в процессе лечения и устранение педагогических ошибок у родителей и воспитателей создают необходимый эмоциональный положительный фон и способствуют успешному излечению заикания. ◇